

Physics 3700
Problem Set 4
Due March 19 2018

- 1) The decay of an unstable particle is described by the following probability density function in terms of the decay time (t) and the particle's lifetime (λ).

$$p(t, \lambda) = \frac{e^{-\frac{t}{\lambda}}}{\lambda}$$

Three measurements of t ($t_1 = 7$ sec, $t_2 = 3$ sec, $t_3 = 4$ sec) are made.

- a) Write down the likelihood function for this problem.
 - b) Use the Maximum Likelihood Method to calculate the value of λ for this data set.
- 2) A theory states that the angular distribution of electrons from the decay of an unstable particle should have a probability distribution function of the form (both N and α are constants):

$$p(\cos \theta) = N(1 + \alpha \cos^2 \theta)$$

An experiment measures ten examples of the decay of this unstable particle and finds the following values of $\cos \theta$: (-0.05, -0.15, -0.25, -0.35, 0.45, 0.55, 0.65, 0.75, 0.85, 0.95). For this problem the limits on $\cos \theta$ are $[-1, 1]$. We wish to determine the value of α using the Maximum Likelihood Method.

- a) Use the normalization condition for a probability distribution function to show that:

$$N = \frac{1}{2(1 + \alpha/3)}$$

- b) Write down the Likelihood Function for this problem.
- c) Make a plot of the Likelihood Function vs. α for $-1.5 < \alpha < 1.5$. Use this plot to find the value of α that maximizes the Likelihood Function.

- 3) We wish to determine the acceleration due to gravity (g) using the following data and **$h = 0.5gt^2$** .

- a) Use the least squares technique to find the best value of g . Assume the error in each h (height) measurement is 0.01 m and the time is measured exactly. (See Taylor Problem 8.5)

h (m)	t (s)
0.05	0.1
0.44	0.3
1.23	0.5
2.40	0.7

- b) What is the value of the chi-square (χ^2) for this problem?
- c) How many degrees of freedom are there in this problem? (See Taylor Problem 12.14, part b))
- d) Estimate the probability to get a χ^2 per degree of freedom \geq what you obtain using parts b) and c).

- 4) Taylor P8.4, page 200.

- 5) Taylor P8.10, page 201. Just do the first part of the problem (weighted LSQ estimate of A and B). Skip everything after "Compare..."