Physics 133, 3:30pm Spring 2006, Quiz 2




TA:

constructive interference:
$$\Delta \phi = 2\pi \frac{\Delta r}{\lambda} + \Delta \phi_o = 2\pi m$$

destructive interference:
$$\Delta \phi = 2\pi \frac{\Delta r}{\lambda} + \Delta \phi_o = 2\pi \left(m + \frac{1}{2}\right)$$

- The two sources A and B are separated by a distance 1) D=1.5 λ , equally spaced from the origin along the y-axis. They are identical, and both emitting waves of wavelength λ . Indicate on the figure (10 pts)
 - Approximate positions of all points on the circle a) where the interference is fully constructive (use a Δ to mark these)
 - Approximate positions of all points on the circle b) where the interference is fully destructive (use an X to mark these).



open/closed tubes: $\lambda_m = 4L/m$ m = 1,3,5,... $v = \lambda f$ fixed strings closed/closed tubes: $\lambda_m = 2L/m$ m = 1,2,3,...

A tuning fork with a frequency of 680Hz is struck right above the opening of an 2) adjustable-length open-closed tube. Imagine the tube length can be adjusted from essentially zero length to a maximum of 50cm. How many resonant frequencies can be excited in the tube, and at what lengths does this happen? Use v=340m/s for the speed of sound in air. (10 pts)



$$\lambda_{m} = \frac{\sqrt{340m^{2}}}{680/2} = 0.5 \text{ m} = 50 \text{ cm}$$

$$\frac{m}{1} \frac{L}{12.5 \text{ cm}}$$

$$\frac{m}{1} \frac{m}{12.5 \text{ cm}}$$

$$\frac{m}{12.5 \text{ cm}}$$

$$\frac{m}$$