## Simple Linear Regression Model and Parameter Estimation

Reading: Section 12.1 and 12.2

- Learning Objectives: Students should be able to:
- Understand the assumptions of a regression model
- Correctly interpret the parameters of a regression model
- Estimate the parameters of a regression model

## Simple Regression Analysis

- Regression analysis deals with investigation of the *non-deterministic* relationship between two (or more) variables.
- Simple linear regression model: non-deterministic linear relationship between two variables.

### Fixed Predictor and Random Response Variable

- For a fixed value of x, the value of Y is random, varying around a "mean value" determined by x.
- x variable: independent / predictor / explanatory variable
- Y variable: dependent / response variable

## Scatter Plot - Checking Linear Relationship

Example: Relationship between diesel oil consumption rates measured by two methods

Pairwise data  $(x_1, y_1), (x_2, y_2), ..., (x_n, y_n)$ 



x- rate measured by drain-weigh method Y-rate measured by CI-trace method



Simple Linear Regression Model & Interpretation

Regression model

**Regression line** 

Х	У
4	5
5	7
8	10
11	10
12	14
16	15
17	13
20	25
22	20
28	24
30	31
31	28
39	39

x- rate measured by drain-weigh method Y-rate measured by CI-trace method



Regression line (Estimates of regression model)

(1) What is the distribution of Y when x = 10?

(2) What is the probability that Y is greater than 10 when x = 10?

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.4	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0003	.0002
-3.3	.0005	.0005	.0005	.0004	.0004	.0004	.0004	.0004	.0004	.0003
-3.2	.0007	.0007	.0006	.0006	.0006	.0006	.0006	.0005	.0005	.0005
-3.1	.0010	.0009	.0009	.0009	.0008	.0008	.0008	.0008	.0007	.0007
-3.0	.0013	.0013	.0013	.0012	.0012	.0011	.0011	.0011	.0010	.0010
-2.9	.0019	.0018	.0017	.0017	.0016	.0016	.0015	.0015	.0014	.0014
-2.8	.0026	.0025	.0024	.0023	.0023	.0022	.0021	.0021	.0020	.0019
-2.7	.0035	.0034	.0033	.0032	.0031	.0030	.0029	.0028	.0027	.0026
-2.6	.0047	.0045	.0044	.0043	.0041	.0040	.0039	.0038	.0037	.0036
-2.5	.0062	.0060	.0059	.0057	.0055	.0054	.0052	.0051	.0049	.0038
-2.4	.0082	.0080	.0078	.0075	.0073	.0071	.0069	.0068	.0066	.0064
-2.3	.0107	.0104	.0102	.0099	.0096	.0094	.0091	.0089	.0087	.0084
-2.2	.0139	.0136	.0132	.0129	.0125	.0122	.0119	.0116	.0113	.0110
-2.1	.0179	.0174	.0170	.0166	.0162	.0158	.0154	.0150	.0146	.0143
-2.0	.0228	.0222	.0217	.0212	.0207	.0202	.0197	.0192	.0188	.0183
-1.9	.0287	.0281	.0274	.0268	.0262	.0256	.0250	.0244	.0239	.0233
-1.8	.0359	.0352	.0344	.0336	.0329	.0322	.0314	.0307	.0301	.0294
-1.7	.0446	.0436	.0427	.0418	.0409	.0401	.0392	.0384	.0375	.0367
-1.6	.0548	.0537	.0526	.0516	.0505	.0495	.0485	.0475	.0465	.0455
-1.5	.0668	.0655	.0643	.0630	.0618	.0606	.0594	.0582	.0571	.0559
-1.4	.0808	.0793	.0778	.0764	.0749	.0735	.0722	.0708	.0694	.0681
-1.3	.0968	.0951	.0934	.0918	.0901	.0885	.0869	.0853	.0838	.0823
-1.2	.1151	.1131	.1112	.1093	.1075	.1056	.1038	.1020	.1003	.0985
-1.1	.1357	.1335	.1314	.1292	.1271	.1251	.1230	.1210	.1190	.1170
-1.0	.1587	.1562	.1539	.1515	.1492	.1469	.1446	.1423	.1401	.1379
-0.9	.1841	.1814	.1788	.1762	.1736	.1711	.1685	.1660	.1635	.1611
-0.8	.2119	.2090	.2061	.2033	.2005	.1977	.1949	.1922	.1894	.1867
-0.7	.2420	.2389	.2358	.2327	.2296	.2266	.2236	.2206	.2177	.2148
-0.6	.2743	.2709	.2676	.2643	.2611	.2578	.2546	.2514	.2483	.2451
-0.5	.3085	.3050	.3015	.2981	.2946	.2912	.2877	.2843	.2810	.2776
-0.4	.3446	.3409	.3372	.3336	.3300	.3264	.3228	.3192	.3156	.3121
-0.3	.3821	.3783	.3745	.3707	.3669	.3632	.3594	.3557	.3520	.3482
-0.2	.4207	.4168	.4129	.4090	.4052	.4013	.3974	.3936	.3897	.3859
-0.1	.4602	.4562	.4522	.4483	.4443	.4404	.4364	.4325	.4286	.4247
-0.0	.5000	.4960	.4920	.4880	.4840	.4801	.4761	.4721	.4681	.4641

(3) Let  $Y_1$  and  $Y_2$  be the *independent* rates measured by the CI trace method corresponding to  $x_1 = 10$  and  $x_2 = 11$ , respectively. What is the probability that  $Y_1$  and  $Y_2$  differ by more than 5?

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
0.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
0.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
0.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
0.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
0.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
0.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
0.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
0.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
0.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9278	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

## Error sum of squares (SSE)

#### Data

Model

#### Prediction Error (from a line)

Error sum of squares (SSE)

## LS Estimates of Model Parameters

Least squares (LS) estimation

- estimates regression parameters by minimizing SSE
- The resulting line is called the regression line

## LS Estimates of Slope and Intercept

LS estimate of intercept

$$b_0 = \hat{\beta}_0 = \overline{y} - \hat{\beta}_1 \overline{x}$$

LS estimate of slope  $b_1 = \hat{\beta}_1 = \frac{\sum (x_i - \overline{x})(y_i - \overline{y})}{\sum (x_i - \overline{x})^2} = \frac{\sum x_i y_i - (\sum x_i)(\sum y_i)/n}{\sum x_i^2 - (\sum x_i)^2/n}$ =

## LS Estimates of Variance $\sigma^2$

- Fitted values
- Residuals
- Error sum of squares (SSE)

Х	у
4	5
5	7
8	10
11	10
12	14
16	15
17	13
20	25
22	20
28	24
30	31
31	28
39	39

х	У	Y-hat	e-hat
4	5		
5	7		
8	10		
11	10		
12	14		
16	15		
17	13		
20	25		
22	20		
28	24		
30	31		
31	28		
39	39		

Coefficient of Determination (r<sup>2</sup>) How much of the variability in Y can be explained by its relationship with x?

- If x and Y are "perfectly correlated", then 100% can be explained by the relationship.
- The tighter the relationship, the larger the portion of variability explained.

### Coefficient of Determination $(r^2)$

Total sum of squares (SST) and Error Sum of Squares (SSE)

SSE is smaller than SST, but how much smaller? Percent reduction in error = coefficient of determination

The regression equation is: y = 1.46 + 0.914 x

Predictor	Coef	SE Coef	Т	P	
Constant	1.457	1.484	0.98	0.347	
x	0.91382	0.06928	13.19	0.000	
s = 2.6133	4 R-Sq	<b>= 94.</b> 1%	R-Sq(a	dj) = 93	.5%
Analysis o	f Varianc	e			
Source	DF	SS	MS	F	P
Regression	1	1188.1	1188.1	173.97	0.000
Residual E	rror 11	75.1	6.8		
Total	12	1263.2			

## Regression Effect

 Regression toward "mediocrity" – pulled back in toward the mean

 Upper half will still be in the upper half but not by as much (from the mean)

 Lower half will still be in the lower half but not by as much (from the mean)