

Switch 1

(version 4.1)

IP Address	Gigabit Switch		VME Crate Controller		Fiber Cassette		Peripheral Crate			Machine	
	Switch	Port	S/N	MAC Addr.	crate	pos	Endcap	Sta.	Crate	Name	Device
192.168.10.101	1	1	71	02:00:00:00:00: 47	7	1	vme+	1	8		
	1	2	65	02:00:00:00:00: 41	7	2	vme+	1	9		
	1	3	3	02:00:00:00:00: 03	7	3	vme+	2	5		
	1	4	51	02:00:00:00:00: 33	7	4	vme+	3	6		
	1	5	45	02:00:00:00:00: 2D	7	5	vme+	4	1		
	1	6	-	00:14:6C:C0:04:E9						Switch 6	
			-	C8:1F:66:BA:FC:78						csc-pc1	em2
			-	A0:36:9F:14:CA:04						csc-pc1	p1p1
			-	A0:36:9F:14:CA:05						csc-pc1	p1p2
			-	A0:36:9F:14:C9:0C						csc-dcs-pc1	p1p1
			-	A0:36:9F:14:C9:0D						csc-dcs-pc1	p1p2
	1	7	60	02:00:00:00:00: 3C	1	1	vme+	1	2		
	1	8	44	02:00:00:00:00: 2C	1	2	vme+	1	3		
	1	9	19	02:00:00:00:00: 13	1	3	vme+	2	2		
	1	10	4	02:00:00:00:00: 04	1	4	vme+	3	3		
	1	11	10	02:00:00:00:00: 0A	1	5	vme+	4	4		
	1	12	-	-							

Switch 2

IP Address	Gigabit Switch		VME Crate Controller		Fiber Cassette		Peripheral Crate			Machine	
	Switch	Port	S/N	MAC Addr.	crate	pos	Endcap	Sta.	Crate	Name	Device
192.168.10.102	2	1	15	02:00:00:00:00: 0F	7	7	vme+	1	10		
	2	2	12	02:00:00:00:00: 0C	7	8	vme+	1	11		
	2	3	14	02:00:00:00:00: 0E	7	9	vme+	2	6		
	2	4	13	02:00:00:00:00: 0D	7	10	vme+	3	1		
	2	5	50	02:00:00:00:00: 32	7	11	vme+	4	2		
	2	6	-	00:14:6C:C0:04:E9						Switch 6	
			-	C8:1F:66:BA:FC:78						csc-pc1	em2
			-	A0:36:9F:14:CA:04						csc-pc1	p1p1
			-	A0:36:9F:14:CA:05						csc-pc1	p1p2
			-	A0:36:9F:14:C9:0C						csc-dcs-pc1	p1p1
			-	A0:36:9F:14:C9:0D						csc-dcs-pc1	p1p2
	2	7	32	02:00:00:00:00: 20	1	7	vme+	1	4		
	2	8	36	02:00:00:00:00: 24	1	8	vme+	1	5		
	2	9	23	02:00:00:00:00: 17	1	9	vme+	2	3		
	2	10	26	02:00:00:00:00: 1A	1	10	vme+	3	4		
	2	11	54	02:00:00:00:00: 36	1	11	vme+	4	5		
	2	12	-	-							

Switch 3

IP Address	Gigabit Switch		VME Crate Controller		Fiber Cassette		Peripheral Crate			Machine	
	Switch	Port	S/N	MAC Addr.	crate	pos	Endcap	Sta.	Crate	Name	Device
192.168.10.103	3	1	9	02:00:00:00:00: 09	9	1	vme+	1	12		
	3	2	22	02:00:00:00:00: 16	9	2	vme+	1	1		
	3	3	61	02:00:00:00:00: 3D	9	3	vme+	2	1		
	3	4	27	02:00:00:00:00: 1B	9	4	vme+	3	2		
	3	5	49	02:00:00:00:00: 31	9	5	vme+	4	3		
	3	6	-	00:14:6C:C0:04:E9						Switch 6	
			-	C8:1F:66:BA:FC:78						csc-pc1	em2
			-	A0:36:9F:14:CA:04						csc-pc1	p1p1
			-	A0:36:9F:14:CA:05						csc-pc1	p1p2
			-	A0:36:9F:14:C9:0C						csc-dcs-pc1	p1p1
			-	A0:36:9F:14:C9:0D						csc-dcs-pc1	p1p2
	3	7	52	02:00:00:00:00: 34	3	1	vme+	1	6		
	3	8	53	02:00:00:00:00: 35	3	2	vme+	1	7		
	3	9	67	02:00:00:00:00: 43	3	3	vme+	2	4		
	3	10	7	02:00:00:00:00: 07	3	4	vme+	3	5		
	3	11	68	02:00:00:00:00: 44	3	5	vme+	4	6		
	3	12	-	-							

Switch 4

(version 4.0)

IP Address	Gigabit Switch		VME Crate Controller		Fiber Cassette		Peripheral Crate			Machine	
	Switch	Port	S/N	MAC Addr.	crate	pos	Endcap	Sta.	Crate	Name	Device
192.168.10.104	4	1									
	4	1									
	4	1									
	4	1									
	4	1									
	4	2									
	4	3									
	4	3									
	4	3									
	4	3									
	4	3									
	4	4									
	4	5									
	4	5									
	4	5									
	4	5									
	4	5									
	4	6									
	4	7									
	4	7									
	4	7									
	4	7									
	4	7									
	4	8									
	4	9									
	4	9									
	4	9									
	4	9									
	4	9									
	4	10									
	4	11									
	4	11									
	4	11									
	4	11									
	4	11									
	4	12									

Switch 6

(version 4.0)

IP Address	Gigabit Switch		VME Crate Controller		Fiber Cassette		Peripheral Crate		Machine	
	Switch	Port	S/N	MAC Addr.	crate	pos	Endcap	Sta.	Crate	Name Device
192.168.10.106	6	1	-							
	6	2	-	00:14:6C:C0:06:C9						Switch 1
			71	02:00:00:00:00: 47						
			65	02:00:00:00:00: 41						
			03	02:00:00:00:00: 03						
			51	02:00:00:00:00: 33						
			45	02:00:00:00:00: 2D						
			60	02:00:00:00:00: 3C						
			44	02:00:00:00:00: 2C						
			19	02:00:00:00:00: 13						
			04	02:00:00:00:00: 04						
			10	02:00:00:00:00: 0A						
	6	3	-	00:14:6C:C0:04:69						Switch 2
			15	02:00:00:00:00: 0F						
			12	02:00:00:00:00: 0C						
			14	02:00:00:00:00: 0E						
			13	02:00:00:00:00: 0D						
			50	02:00:00:00:00: 32						
			32	02:00:00:00:00: 20						
			36	02:00:00:00:00: 24						
			23	02:00:00:00:00: 17						
			26	02:00:00:00:00: 1A						
			54	02:00:00:00:00: 36						
	6	4	-	00:14:6C:C0:05:09						Switch 3
			9	02:00:00:00:00: 09						
			22	02:00:00:00:00: 16						
			61	02:00:00:00:00: 3D						
			27	02:00:00:00:00: 1B						
			49	02:00:00:00:00: 31						
			52	02:00:00:00:00: 34						
			53	02:00:00:00:00: 35						
			67	02:00:00:00:00: 43						
			7	02:00:00:00:00: 07						
			68	02:00:00:00:00: 44						
	6	5	-							
	6	6	-	A0:36:9F:14:CA:04						csc-pc1 p1p1
	6	7	-	C8:1F:66:BA:FC:78						csc-pc1 em2
	6	8	-	A0:36:9F:14:C9:0C						csc-dcs-pc1 p1p1
	6	9	-							
	6	10	-							
	6	11	-	A0:36:9F:14:C9:0D						csc-dcs-pc1 p1p2
	6	12	-	A0:36:9F:14:CA:05						csc-pc1 p1p2

Switch 7											
IP Address	Gigabit Switch		VME Crate Controller		Fiber Cassette		Peripheral Crate			Machine	
	Switch	Port	S/N	MAC Addr.	crate	pos	Endcap	Sta.	Crate	Name	Device
192.168.10.107	7	1	31	02:00:00:00:00: 1F	11	9	vme-	1	1		
	7	2	-	00:14:6C:C4:EB:B0						Switch 8	
			-	02:00:00:00:00: 11							
			-	02:00:00:00:00: 42							
			-	02:00:00:00:00: 08							
			-	02:00:00:00:00: 3F							
			-	02:00:00:00:00: 3B							
			-	02:00:00:00:00: 21							
			-	02:00:00:00:00: 22							
			-	02:00:00:00:00: 19							
			-	02:00:00:00:00: 27							
	-	02:00:00:00:00: 3A									
	7	3	-	00:14:6C:8A:F8:68						Switch 9	
			-	02:00:00:00:00: 14							
			-	02:00:00:00:00: 12							
			-	02:00:00:00:00: 48							
			-	02:00:00:00:00: 15							
			-	02:00:00:00:00: 2B							
			-	02:00:00:00:00: 46							
			-	02:00:00:00:00: 45							
			-	02:00:00:00:00: 3E							
			-	02:00:00:00:00: 05							
	-	02:00:00:00:00: 39									
	7	4	-	00:14:6C:C0:06:A9						Switch 10	
			-	02:00:00:00:00: 23							
			-	-							
			-	02:00:00:00:00: 28							
			-	02:00:00:00:00: 2E							
			-	02:00:00:00:00: 37							
			-	02:00:00:00:00: 4B							
			-	02:00:00:00:00: 49							
			-	02:00:00:00:00: 0B							
-			02:00:00:00:00: 10								
-	02:00:00:00:00: 38										
7	5	-									
7	6	-									
7	7	-	C8:1F:66:BB:0C:58						csc-pc2	em2	
7	8	-									
7	9	-	A0:36:9F:14:CA:80						csc-dcs-pc2	p1p1	
7	10	-	A0:36:9F:14:C9:A2						csc-pc2	p1p1	
7	11	-	A0:36:9F:14:C9:A3						csc-pc2	p1p2	
7	12	-	A0:36:9F:14:CA:81						csc-dcs-pc2	p1p2	

Switch 8

(version 4.0)

IP Address	Gigabit Switch		VME Crate Controller		Fiber Cassette		Peripheral Crate			Machine	
	Switch	Port	S/N	MAC Addr.	crate	pos	Endcap	Sta.	Crate	Name	Device
192.168.10.108	8	1	17	02:00:00:00:00: 11	9	8	vme-	1	8		
	8	2	66	02:00:00:00:00: 42	9	9	vme-	1	9		
	8	3	8	02:00:00:00:00: 08	9	10	vme-	2	5		
	8	4	63	02:00:00:00:00: 3F	9	11	vme-	3	6		
	8	5	59	02:00:00:00:00: 3B	9	12	vme-	4	1		
	8	6	-	00:14:6C:C0:02:C9						Switch 7	
			-	C8:1F:66:BB:0C:58						csc-pc2	em2
			-	A0:36:9F:14:C9:A2						csc-pc2	p1p1
			-	A0:36:9F:14:C9:A3						csc-pc2	p1p2
			-	A0:36:9F:14:CA:80						csc-dcs-pc2	p1p1
			-	A0:36:9F:14:CA:81						csc-dcs-pc2	p1p2
	8	7	33	02:00:00:00:00: 21	3	8	vme-	1	2		
	8	8	34	02:00:00:00:00: 22	3	9	vme-	1	3		
	8	9	25	02:00:00:00:00: 19	3	10	vme-	2	2		
	8	10	39	02:00:00:00:00: 27	3	11	vme-	3	3		
	8	11	58	02:00:00:00:00: 3A	3	12	vme-	4	4		
	8	12	-								

Switch 9

IP Address	Gigabit Switch		VME Crate Controller		Fiber Cassette		Peripheral Crate			Machine	
	Switch	Port	S/N	MAC Addr.	crate	pos	Endcap	Sta.	Crate	Name	Device
192.168.10.109	9	1	20	02:00:00:00:00: 14	11	2	vme-	1	10		
	9	2	18	02:00:00:00:00: 12	11	3	vme-	1	11		
	9	3	72	02:00:00:00:00: 48	11	4	vme-	2	6		
	9	4	21	02:00:00:00:00: 15	11	5	vme-	3	1		
	9	5	43	02:00:00:00:00: 2B	11	6	vme-	4	2		
	9	6	-	00:14:6C:C0:02:C9						Switch 7	
			-	C8:1F:66:BB:0C:58						csc-pc2	em2
			-	A0:36:9F:14:C9:A2						csc-pc2	p1p1
			-	A0:36:9F:14:C9:A3						csc-pc2	p1p2
			-	A0:36:9F:14:CA:80						csc-dcs-pc2	p1p1
			-	A0:36:9F:14:CA:81						csc-dcs-pc2	p1p2
	9	7	70	02:00:00:00:00: 46	5	2	vme-	1	4		
	9	8	69	02:00:00:00:00: 45	5	3	vme-	1	5		
	9	9	62	02:00:00:00:00: 3E	5	4	vme-	2	3		
	9	10	5	02:00:00:00:00: 05	5	5	vme-	3	4		
	9	11	57	02:00:00:00:00: 39	5	6	vme-	4	5		
	9	12	-								

Switch 10

IP Address	Gigabit Switch		VME Crate Controller		Fiber Cassette		Peripheral Crate			Machine	
	Switch	Port	S/N	MAC Addr.	crate	pos	Endcap	Sta.	Crate	Name	Device
192.168.10.110	10	1	35	02:00:00:00:00: 23	11	8	vme-	1	12		
	10	2									
	10	3	40	02:00:00:00:00: 28	11	10	vme-	2	1		
	10	4	46	02:00:00:00:00: 2E	11	11	vme-	3	2		
	10	5	55	02:00:00:00:00: 37	11	12	vme-	4	3		
	10	6	-	00:14:6C:C0:02:C9						Switch 7	
			-	C8:1F:66:BB:0C:58						csc-pc2	em2
			-	A0:36:9F:14:C9:A2						csc-pc2	p1p1
			-	A0:36:9F:14:C9:A3						csc-pc2	p1p2
			-	A0:36:9F:14:CA:80						csc-dcs-pc2	p1p1
			-	A0:36:9F:14:CA:81						csc-dcs-pc2	p1p2
	10	7	75	02:00:00:00:00: 4B	5	8	vme-	1	6		
	10	8	73	02:00:00:00:00: 49	5	9	vme-	1	7		
	10	9	11	02:00:00:00:00: 0B	5	10	vme-	2	4		
	10	10	16	02:00:00:00:00: 10	5	11	vme-	3	5		
	10	11	56	02:00:00:00:00: 38	5	12	vme-	4	6		
	10	12									