

Ling 3701H / Psych 3371H: Lecture Notes 12

A Model of Ambiguity in Sentence Processing

We have seen how complex ideas can be encoded and decoded into sentences.


This lecture will describe how this process controls for ambiguity.

Contents


12.1 Ambiguity as superposition	1
12.2 Propagation of ambiguity	3
12.3 Resolution of ambiguity	4

12.1 Ambiguity as superposition


If multiple targets are associated with the same cue vector:




when associative memory is cued using that vector, the result is both vectors, **superposed**:



PRACTICE: If associative memory M is made from one cue u and two targets v_1 and v_2 , as below:




what is the result of cueing M with u ? (HINT: you don't have to calculate the matrix!)




Describe the result in terms of v_1 and v_2 .

PRACTICE: If associative memory M is made from cues u_1 and u_2 and targets v_1 and v_2 , as below:




what is the result of cueing M with a mixture of $.7u_1$ and $.3u_2$? (HINT: don't calculate the matrix!)




Describe the result in terms of v_1 and v_2 .

12.3 Resolution of ambiguity


Recall the outer product of two vectors produces a matrix with pointwise products:



This generalizes to triples of vectors as a **tensor product**:




Targets are then cued by multiplication (left-associative):




This can be implemented with ‘switched’ connections.

This gives us a means to combine ‘top-down’ predictions with ‘bottom-up’ observations...

Build auto-associations of all states:



Then cue on observed state to pick out compatible component of mixed source state:




Note the magnitude of the target is reduced compared to the source.


This reduction correlates with reading time delays ('surprisal') on encountering unpredicted words.

(It may take time proportional to the reduction to 'amp up' this state to unit magnitude.)

PRACTICE: If a filter F is made from auto-associated vectors v_2 and v_3 , as below:



what is the result of cueing F with a mixture of $.8v_1$ and $.2v_2$? (HINT: don't calculate the matrix!)



References