**PHYSICS 133** 

## MIDTERM EXAM #2 November 13, 2008

**Lecturer: Schumacher** 


## 100 points <u>4</u> Pages of problems + <u>1</u> equation sheet 48 minutes

Student Name:	<del> </del>			
Recitation Instructor (circle one):	Cardwell Schoun	Griffith Shiroyanagi	Nilsen Willis	
<ul> <li>Write your name and circle the sheet. The pages of this exam we have your name on each sheet to</li> </ul>	vill be separated	l and each page graded		
• Show your work to guarantee fu	ıll credit.			
<ul> <li>Simple harmonic motion and the equation sheet, for example, use</li> </ul>				on the
Page 1				
Page 2				
Page 3				
Page 4				
T 1				
Total				

Name:

Recitation Instructor: Cardwell Griffith Nilsen Schoun Shiroyanagi Willis

**Problem 1, 24 points.** (a) Measured from the position of the second lens, where is the image formed by the lens system shown below? Be clear on whether it is to the left or right of the lens. (b) Is the image real or virtual? (c) What is the magnification of the image?



Physics 133, Midterm Exam #2, November 13, 2008 Name:			Page Score				
Rec	eitation Instructor:	Cardwell	Griffith	Nilsen	Schoun	Shiroyanagi	Willis
dire	<b>Solution</b> 2, 24 points. Section. At $t = 0$ and x itive z direction.	_			-	-	-
(a)	At $t = 0$ and $x = 0$ t	the magnetic fie	ld is pointing	in the (circle	the correct che	oices)	
	negative positive	<b>x y z</b> di	irection.				
<b>(b)</b>	Let the light's mag Find $B_m$ , $k$ , $\omega$ , $\phi$ and	nd indicate whe				re are multiple v	values that $\phi$ can
	have. Just supply o	one.)					

(c) The light then enters a block of glass with an index of refraction of 1.75. Now what are k and  $\omega$ ?

Physics 133, Midterm Exam #2, November 13, 2008				Page Score			
Name:							
Recitation Instructor:	Cardwell	Griffith	Nilsen	Schoun	Shiroyanagi	Willis	

**Problem 3, 18 points.** 632 nm light illuminates a double slit with a slit width of 12.8 µm and a slit separation of 1.20 mm. The viewing screen is 1.55 m away. What is the distance between the m=7 interference maximum and the first diffraction minimum?

**Problem 4, 10 points.** A point source of light is 2.20 m below the surface of a pool containing a liquid with  $n_{liquid} = 1.83$ . Find the <u>diameter</u> of the circle at the surface through which the light emerges from the pool into air.

Recitation Instructor:

Cardwell

Griffith

Nilsen

Schoun

Shiroyanagi

Willis


Problem 5, 24 points.

(A) An xyz coordinate system is placed in front of a mirror as shown to the right. The image of the coordinate system looks most like:









- (B) Consider a two-slit interference apparatus illuminated by a laser. Which of the following will change the phase difference between waves arriving at the m = 2 bright fringe on a screen? Circle every correct choice. There may be more than one correct choice or none of the choices may be correct.
  - (a) immersing the apparatus in water
- (b) increasing the spacing between slits
- (c) moving the screen away from the slits
- (d) changing the frequency of the light
- (C) A laser illuminates a double-slit and the result is displayed on a screen. The figure shows the screen before and after a change is made to the double slit apparatus. *Circle every correct choice*. There may be more than one correct choice or none of the choices may be correct.



after



- (a) increasing the wavelength
- (b) decreasing the wavelength
- (c) increasing the slit separation (d) decreasing the slit separation.
- (e) increasing the slit width
- (f) decreasing the slit width
- (**D**) In lecture, I sometimes use a projector. When I do, the image you see on the screen is...
  - (a) virtual.
  - **(b)** real.
  - (c) virtual if at least one of the optical components used in the projector is a negative lens.
  - (d) impossible to determine without knowing the optics used to create the image.